



•  _____

•  _____

[illegible]

ChatGPT

i18n

	/

Crowdin

SSO

SSO OAuth LDAP SAML

--	--

--	--	--	--



SSO



PHPMailer [Bootstrap](#) [React](#) [Angular](#) [Laravel](#) [Vue.js](#)

SSO


















SSO

Weblate ☐☐☐☐ OpenID ☐☐ OAuth 2.0 ☐☐☐☐ (SSO)



Google Facebook Slack GitHub Bitbucket GitLab Microsoft Azure Active Directory

Weblate

-  Gettext  PO  XLIFF 
- 
- 
- 
-  (Git  Mercurial  Subversion ) 
-  Webhook  API 
- ...

--	--	--	--

Weblate




[illegible]


Weblate

--	--	--	--

Django Debian LibreOffice VLC

--	--

-
1.  Webplate
2.  Webplate
3.  Webplate



<https://translations.zhanghai.me/>

Reverso Context




<https://context.reverso.net/translation/>



Autocorrect

[huacnlee/autocorrect](#): A linter and formatter to help you to improve copywriting, correct spaces, words, and punctuations between CJK (Chinese, Japanese, Korean). (github.com)



AutoCorrect (huacnlee.github.io)

AI

--	--	--	--



[ryanhex53/gpt-po: command tool for translate po files by using openai api](#)

[preset-io/ai18n: Translate .po files using the openai api](#)