










[illegible]

1001


--	--	--	--	--	--

-  _____
-  _____
-  _____
-  _____
-  _____
- AI  _____
-  _____
-  _____
-  _____



--	--	--	--	--

--	--	--	--



Flutter [Kubernetes](#) [Nextcloud](#) [Trello](#) [Joomla](#) [WordPress](#) [GitLab](#)

POEditor

SSO



PHPMailer [Bootstrap](#) [React](#) [Angular](#) [Laravel](#) [Vue.js](#)

Transifex

SSO



Weblate &

SSO

Weblate ☐☐☐☐ OpenID ☐☐ OAuth 2.0 ☐☐☐☐ (SSO)



Weblate

Google Facebook Slack GitHub Bitbucket GitLab Microsoft Azure Active Directory

Weblate

- Gettext PO XLIFF
-
-
-
- (Git Mercurial Subversion)
- Webhook API
- ...

Weblate

Weblate

Django Debian LibreOffice VLC

1. Weblate
2. Weblate
3. Weblate



Reverso Context



Autocorrect

The diagram shows a sequence of rectangles. The first row has 10 rectangles of width 1 and height 1. The second row has 5 rectangles of width 0.5 and height 2. The third row has 2.5 rectangles of width 0.25 and height 4. The fourth row has 1.25 rectangles of width 0.125 and height 8. The rectangles are arranged in a way that suggests a geometric progression, with the total area being approximated by the sum of the areas of these rectangles.

AI

--	--	--	--




[ryanhex53/gpt-po: command tool for translate po files by using openai api](#)

[preset-io/ai18n: Translate .po files using the openai api](#)








--	--	--	--	--	--	--	--	--



Python



1. 
2. 
3. 



- [] / [] Crowdin/Transifex
- []
- [] AI []

XLIFF

Al

--	--	--	--	--	--	--	--

--

Weblate

WEB

📄 [Downloading and uploading translations - Weblate latest documentation](#)

CLI

📄 [WeblateOrg/wlc: Weblate command line client](#)

```
# https://docs.weblate.org/en/latest/wlc.html#getting-started
vim ~/.config/weblate

# e.g. weblate/website/zh_Hans
$PROJECT=weblate;$COMPONENT=website;$LANGUAGE=zh_Hans

# show translation progress
wlc [stats/show] $PROJECT/$COMPONENT/$LANGUAGE

# download translation file
wlc download $PROJECT/$COMPONENT/$LANGUAGE -c po -o $PROJECT-$COMPONENT_$LANGUAGE.po

# do some translations here

# upload translation file
wlc upload $PROJECT/$COMPONENT/$LANGUAGE -i $PROJECT-$COMPONENT_$LANGUAGE.po [--method
{translate/suggest/fuzzy}]
```

Crowdin

WEB

📄 [Offline Translation | Crowdin Docs](#)

📄 [XLIFF](#)

[The essential toolkit for localization engineers |](#)

[Translate Toolkit](#)

CLI

📄 [crowdin/crowdin-cli: A command-line client for the Crowdin API](#)

📄 [XLIFF](#)

```
# https://crowdin.github.io/crowdin-cli/configuration
crowdin init

# or
export $CROWDIN_PERSONAL_TOKEN=[REDACTED];export $CROWDIN_PROJECT_ID=[REDACTED]

# show translation and proofreading progress
crowdin status -l zh-CN

# download translation file
crowdin download translations -l zh-CN

# do some translations here

# upload translation file
crowdin upload translations -l zh-CN
```

Transifex

WEB

[Translate Offline](#) | [Transifex Help Center](#)

 XLIFF

localization engineers | Translate Toolkit

The essential toolkit for

CLI

- transifex/cli: The Transifex command-line client

_____ XLIFF _____

```
# https://github.com/transifex/cli?tab=readme-ov-file#usage
tx init && vim .tx/config
# or
export $TX_TOKEN=[REDACTED]

# show translation and proofreading progress
tx status [resource_id]

# download translation file
tx pull -l zh-CN
```

```
# do some translations here
```

```
# upload translation file
```

```
tx push -l zh-CN
```

Translation Project

☐ Translators and the TP

CLI

☐ Translation software and other projects

```
./sendpo.sh POFILE
```



pescheckit/python-gpt-po: This tool, powered by OpenAI's GPT-4, offers a sophisticated approach to translating .po and .mo files, seamlessly integrating the capabilities of ChatGPT and GPT-3.5 models. It's designed for both bulk and individual file translations, providing a versatile solution for different translation needs.

--	--	--	--	--	--	--

□□□□□□□□

AI □□□□□□□□□□

- □□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□
- □□□□□□□□□□
- □□□□□□□□□□

autocorrect □□□□


AI □□□□□□



Weblate 

/



- Translate Toolkit  Converters
- Qt-Linguist lconvert Qt .ts -> *



KDE

KDE

KDE

freeCodeCamp

A horizontal number line with arrows at both ends. A box containing the number 6 is placed on the line.

Ubuntu

Ubuntu

--	--	--	--	--	--	--	--

□□□□□□□□ (L10N)

Fedora L10N/Guide[illegible]



Autocorrect