










[illegible]

1853

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

-  _____
 -  _____
 -  _____
-  _____
 -  _____
 - AI  _____
-  _____
 -  _____
 -  _____



| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

ChatGPT

[illegible]

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|



SSO



SSO



SSO

Google Facebook Slack GitHub Bitbucket GitLab Microsoft Azure Active Directory



Weblate

- Gettext PO XLIFF
-
-
-
- (Git Mercurial Subversion)
- Webhook API
- ...



Weblate

Weblate



Django Debian LibreOffice VLC



1. Weblate
2. Weblate
3. Weblate



Reverso Context



Autocorrect

AI

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|




[ryanhex53/gpt-po: command tool for translate po files by using openai api](#)

[preset-io/ai18n: Translate .po files using the openai api](#)







| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|



| | |
|--|--|
| | |
|--|--|



1. 
2. 
3. 



- / Crowdin/Transifex
-
- AI

XLIFF

Al

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

| |
|--|
| |
|--|

Weblate

WEB

📄 [Downloading and uploading translations - Weblate latest documentation](#)

CLI

📄 [WeblateOrg/wlc: Weblate command line client](#)

```
# https://docs.weblate.org/en/latest/wlc.html#getting-started
vim ~/.config/weblate

# e.g. weblate/website/zh_Hans
$PROJECT=weblate;$COMPONENT=website;$LANGUAGE=zh_Hans

# show translation progress
wlc [stats/show] $PROJECT/$COMPONENT/$LANGUAGE

# download translation file
wlc download $PROJECT/$COMPONENT/$LANGUAGE -c po -o $PROJECT-$COMPONENT_$LANGUAGE.po

# do some translations here

# upload translation file
wlc upload $PROJECT/$COMPONENT/$LANGUAGE -i $PROJECT-$COMPONENT_$LANGUAGE.po [--method
{translate/suggest/fuzzy}]
```

Crowdin

WEB

📄 [Offline Translation | Crowdin Docs](#)

📄 [XLIFF](#)

[The essential toolkit for localization engineers |](#)

[Translate Toolkit](#)

CLI

📄 [crowdin/crowdin-cli: A command-line client for the Crowdin API](#)

📄 [XLIFF](#)

```
# https://crowdin.github.io/crowdin-cli/configuration
crowdin init

# or
export $CROWDIN_PERSONAL_TOKEN=[REDACTED];export $CROWDIN_PROJECT_ID=[REDACTED]

# show translation and proofreading progress
crowdin status -l zh-CN

# download translation file
crowdin download translations -l zh-CN

# do some translations here

# upload translation file
crowdin upload translations -l zh-CN
```

Transifex

WEB

📄 [Translate Offline | Transifex Help Center](#)

XXXXXXXXXXXXX XLIFF XXXXXXXXXXXXXXXX
[localization engineers | Translate Toolkit](#)

[The essential toolkit for](#)

CLI

📄 [transifex/cli: The Transifex command-line client](#)

XXXXXXXXXXXXX XLIFF XXXXXXXXXXXXXXXX

```
# https://github.com/transifex/cli?tab=readme-ov-file#usage
tx init && vim .tx/config

# or
export $TX_TOKEN=[REDACTED]

# show translation and proofreading progress
tx status [resource_id]

# download translation file
tx pull -l zh-CN
```

```
# do some translations here
```

```
# upload translation file
```

```
tx push -l zh-CN
```

Translation Project

☐ Translators and the TP

CLI

☐ Translation software and other projects

```
./sendpo.sh POFILE
```



pescheckit/python-gpt-po: This tool, powered by OpenAI's GPT-4, offers a sophisticated approach to translating .po and .mo files, seamlessly integrating the capabilities of ChatGPT and GPT-3.5 models. It's designed for both bulk and individual file translations, providing a versatile solution for different translation needs.

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
|--|--|--|--|--|--|--|

□□□□□□□□

AI □□□□□□□□□□

- □□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□
- □□□□□□□□□□
- □□□□□□□□□□



autocorrect □□□□

AI □□□□□□





/

- Translate Toolkit  Converters
- Qt-Linguist  lconvert  Qt .ts -> *



KDE

KDE ☐ ☐ ☐ ☐ ☐ ☐

KDE

freeCodeCamp

A horizontal number line with arrows at both ends. A box containing the number 6 is placed on the line.

Ubuntu

Ubuntu

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

□□□□□□□□ (L10N)

Fedora L10N/Guide[illegible]



Autocorrect